



Product Features

- ▲ 10 Points Capacitive Bezel Free Panel
- ▲ Excellent Ergonomic and Simple Design
- ▲ Detachable and assembled metal base, stable
- ▲ IP65 for Front Bezel Compliant
- ▲ Horizontal Viewing 170°/160°
- ▲ Resolution 1920*1080
- ▲ VESA Amount 75*75mm, 100*100mm



Physical	
Monitor Dimension	344.16x193.59 mm (HxV)
Box Dimension	445*210*420 mm
Net Weight	5.02 KGS
Gross Weight	5.8KGS
Color	Black
Monitor Specifications	
Screen Size	15.6" FHD LCD
Resolution	1920 (RGB) *1080
Multiple screen size options	9.7", 10.1", 15", 15.6", 17", 17.3", 19", 21.5", 22"
Brightness	250 cd/m ²
Contrast	1000:1
Response Time	5ms
Viewing angle	170°/160°
Color support	16.7 millions
Life Time	50,000 Hours
Contrast	1000:1
Touch Screen	
Type	10 Points Capacitive
Transmittance	90%
Touch Times	>100,000,000
Surface hardness	10H
Connectivity	
Monitor	VGA + HDMI
Touchscreen	USB 2.0
Electrical	
Power supply	12V/ 2.5A
Consumption	<30W (max)
Environmental	
Operating Temperature	0 °C ~ 50 °C
Storage Temperature	-20 °C ~ 70 °C
Humidity	20% ~ 80%



NIOSTAR®

NIOSTAR® is een geregistreerd merk
en wordt in België vertegenwoordigd door

Altmanner BV

Gwijde van Dampierrestraat 3

BE – 8820 TORHOUT

Belgium

ON-BTW-BE0804.266.689

RPR Gent, afdeling Oostende