

# NIOSTAR®


## NIOSTAR THERMAL LABELS 102 X 150

TLR1-102150-300

TLR1-102150-600

TLR1-102150-900

### NIOSTAR



NIOSTAR Direct Thermal Labels 102 x 150 x 25 mm. NIOSTAR thermal paper labels is not only durable, but also delivers clear, long-lasting prints.

NIOSTAR Thermal Labels are used in logistics, manufacturing, retail and are used to identify products and provide information about the contents of the packaging.

Suitable for use as a shipping label with Bpost, DHL, DPD, GLS, PostNL, TNT and UPS.

#### NIOSTAR THERMAL LABELS 102x150

TLR1-102150-300

DIMENSIONS(MM)	102X150MM
LABELS/ROL	300
MATERIAL	DIRECT THERMAL
KERN	25MM
PACKAGING	BOX 20 ROLLS

#### NIOSTAR THERMAL LABELS 102x150

TLR1-102150-600

DIMENSIONS	102X150MM
LABELS/ROL	600
MATERIAL	DIRECT THERMAL
KERN	25MM
PACKAGING	BOX 8 ROLLS

#### NIOSTAR THERMAL LABELS 102x150

TLR1-102150-900

DIMENSIONS	102X150M
LABELS/ROL	900
MATERIAL	DIRECT THERMAL
KERN	25MM
PACKAGING	BOX 6 ROLLS

# NIOSTAR®

## NIOSTAR THERMAL PAPER 57x40x12

TPR1-5740-50

These printers are compatible (and more)

BIXOLON	SLP-DX220, SLP-TX400, SLP-TX420, XD3-40, XD5-40, XL5-40
GODEX	DT4x, DT43x+, GE300, GE330, G500, G530, RT700, RT700i, RT700i+, RT730, RT730i, RT730i+, RT823i+, RT833i+, RT863i+
METAPACE	L-42D, L-42DT, L-42T
NIOSTAR	PTL100, PTL100W
ZEBRA	GK420D, GK420T, GX420D, GX430D, GX430T, ZD220D, ZD420D, ZT200, ZT220, ZT230, ZT510, ZT620

# NIOSTAR®

## TLR1-102150-300

Specs		
Features	Adhesive type	Permanent
	Format	Roll
	Operating temperature (T-T)	-10 - +40 °C
	Perforated	Yes
	Print technology	Direct thermal
	Product colour	White
	Purpose	Light industrial / industrial
	Reusable	No
	Shape	Rectangular
Other features	Quantity per box	6000pcs
Package dimensions	Gross Weight (Package, kg)	13.4 kg
Packaging content	Labels per pack	6000pcs
	Labels per roll	300pcs
	Ribbon included	No
	Rolls per pack	20
Product dimensions	Net Weight (Product, kg)	0.645 kg
Vendor information	Brand Name	Niostar
Weight & dimensions	Core diameter	2.5 cm
	Label height	15 cm
	Label width	10.2 cm
	Maximum roll diameter	9.6 cm

## TLR1-102150-600

Specs		
Features	Adhesive type	Permanent
	Format	Roll
	Operating temperature (T-T)	-10 - +40 °C
	Perforated	Yes
	Print technology	Direct thermal
	Product colour	White
	Purpose	Light industrial / industrial
	Reusable	No
	Shape	Rectangular
Other features	Quantity per box	4800pcs
Package dimensions	Gross Weight (Package, kg)	11 kg
Packaging content	Labels per pack	4800pcs
	Labels per roll	600pcs
	Ribbon included	No
	Rolls per pack	8
Product dimensions	Net Weight (Product, kg)	1.3 kg
Vendor information	Brand Name	Niostar
Weight & dimensions	Core diameter	2.5 cm
	Label height	15 cm
	Label width	10.2 cm
	Maximum roll diameter	13.2 cm

# NIOSTAR®

TLR1-102150-900

Specs		
Features	Adhesive type	Permanent
	Format	Roll
	Operating temperature (T-T)	-10 - +40 °C
	Perforated	Yes
	Print technology	Direct thermal
	Product colour	White
	Purpose	Light industrial / industrial
	Reusable	No
	Shape	Rectangular
Other features	Quantity per box	5400pcs
Package dimensions	Gross Weight (Package, kg)	12.2 kg
Packaging content	Labels per pack	5400pcs
	Labels per roll	900pcs
	Ribbon included	No
	Rolls per pack	6
Product dimensions	Net Weight (Product, kg)	1.95 kg
Vendor information	Brand Name	Niostar
Weight & dimensions	Core diameter	2.5 cm
	Label height	15 cm
	Label width	10.2 cm
	Maximum roll diameter	16 cm

NIOSTAR® is een geregistreerd merk  
en wordt in België vertegenwoordigd door

Altmanner BV  
Gwijde van Dampierrestraat 3  
BE - 8820 TORHOUT  
Belgium  
ON-BTW-BE0804.266.689  
RPR Gent, afdeling Oostende